










POS.			CONTACT RATING	DRAWING #	TYPE
1		SOLID KNOB Ø42 mm		KBAD 66	GK1
2		SOLID KNOB Ø42 mm With Push-button On Top	1 CHANGE OVER CONTACT 0.5A 250V AC 15 1.5A 24V DC 13	KHS/177	GK2
3		SOLID KNOB Ø42 mm With Push-button Operated By Twisting The Upper Knob	1 CHANGE OVER CONTACT 0.5A 250V AC 15 1.5A 24V DC 13	KBAD/230	GK3
4		SOLID KNOB Ø25 mm with M6		KBAD 271	GK4
5		SOLID KNOB Ø27 mm with M8		KBAD 302	GK5
6		MINI KNOB Ø29 mm		KBAD/141	GS6
7		KNOB Ø29 mm With Push-button On Top	1 CHANGE OVER CONTACT 0.5A 250V AC 15 1.5A 24V DC 13	KBAD/210	GS7
8		T GRIP SOLID Ø28mm x 58 mm		KBAD 148	Q8
9		T GRIP SOLID Ø28mm x 58 mm With Push-button On Side	1 CHANGE OVER CONTACT 0.5A 250V AC 15 1.5A 24V DC 13	KBAD 147	Q9



	GK1	GK2	GK3	GK4	GK5	GS6	GS7	Q8	Q9	B1	B2	B3	B5	B6	B7	B8	B9
V3	X							X		X			X	X			
V5	X							X		X			X				
VV5	X		X					X	X	X	X	X	X	X	X	X	X
V10	X				X	X	X			X			X	X			
H100	X				X	X	X			X			X	X			
V11	X		X					X	X	X			X	X			
V6/VV6	X		X					X	X	X	X	X	X	X	X	X	X
V8/VV8	X	X	X					X	X	X	X	X	X	X	X	X	X
V14				X		X											
V20																	
D8	X							X	X								
D/DD64	X							X	X								
S2	X		X			X	X	X	X	X			X				
S21	X		X			X	X	X	X	X			X	X			
S22	X		X			X	X	X	X	X			X				
S23	X																
S24	X		X			X	X	X	X	X			X				
K2										X			X	X			
S6	X	X	X					X	X	X			X				
S14				X		X											